

SIX SIGMA INTRODUCTION

LEAN SIX SIGMA WHITE BELT

Agenda

- What is Six Sigma?
- Lean Six Sigma
- Data Driven Decisions
- 6σ Definition
- Real World Examples
- How to Calculate σ Level
- Other Indicators
- Six Sigma Principles
- Six Sigma Challenges



What is Six Sigma?

A structured methodology, based on statistical analysis to identify process variation, therefore reduce defects and increase customer satisfaction.



Lean Six Sigma

Complementary Scopes

VALUE STREAM

PROCESSES VARIATION



Data Driven Decisions

Decisions based on intuition or experience

- Process doesn't work
- Results can be improved
 - Never worked well

Six Sigma is based on measurement and metrics

- Statistical prove
- Validation of assumptions
 - Historical data



Data Driven Decisions

Decision Making Without Six Sigma

- Ideas implemented based on someone's influence
- Past experiences may lead to believe the idea will be successful or unsuccessful
- Success is weighted after implementation Problems are addressed after impacts
- Ideas implemented in beta mode to reduce risks and expenses

Beta Testing

- Controlled and reduced environment test before deployment to the entire population
- Trial-and-error can impact customer negatively
- Improvements may be superficial and unsustainable
- Without a Six Sigma approach, it can cause extra expenses and not reach aimed results



Data Driven Decisions

Decision Making With Six Sigma

- Map the process
- Identify problem(s) and its root cause(s)
- Apply statistical analysis
- Identify possible solution(s) and outcome(s)
- Risk assessment
- Plan implementation
- High-level accuracy
- Sustainable changes through control methods



6σ Definition



A 6σ process, so called "perfect" process, has only **3.4 defects per million** opportunities, or **99.99966%** of products without defects.

A 5σ process has 233 defects per million opportunities, or 99.97% accuracy.



Real World Examples

Estimated Quantity of Defects

Evont	4σ	5σ	6σ	
Event	99.379%	99.977%	99.99966%	
Wrong drug prescriptions in USA per year	26,206,200	970,600	14,348	
Surgeries errors in USA per week	6,138	227	3	
Flights incidents in USA per year	64,683	2,396	35	
Lost mails in Canada per week	477,692	17,692	262	
Unsafe water in Quebec per year (liters per person)	1,813	67	1	
Customers with power outage in Quebec	27,324	1,012	15	



* Based on total volume in a given year

LEAN SIX SIGMA - WHITE BELT

Real World Examples



Amazon processed 36.8 millions orders on 2013 Cyber Monday*.

Considering a conservative cost estimation per error of **35.00 USD**,

we can see below the financial impact for Amazon based on different levels of sigma.

Sigma Level	Defects per Million Opportunities	Estimated Quantity of Defects	Estimated Total Cost (USD)
1σ	691.462	25.447.200	\$890.652.000,00
2σ	308.538	11.354.272	\$397.399.520,00
3σ	66.807	2.458.608	\$86.051.280,00
4σ	6.210	228.528	\$7.998.480,00
5σ	233	8.464	\$296.240,00
6σ	3,4	125	\$4.375,00



How to Calculate σ Level

3.4 9.9.997 6.0 62.0 9.9.790 4.00 30800 69.200 2.00 5 9.9.995 5.32 8190 9.91810 3.90 3.400 65.600 1.90 8 9.9.992 5.61 1070 98.9300 3.80 3800 61.800 1.600 20 99.990 5.61 1300 98.6100 3.70 42000 58.000 1.70 20 99.990 5.61 12800 95.600 3.60 46000 54.000 1.60 30 99.9970 5.51 2270 97.7300 3.50 50.000 50.000 1.00 40 99.9900 5.21 28700 97.1300 3.40 50.000 1.00 70 99.9900 5.31 3590 96.100 3.30 57000 4.8000 1.20 100 99.9990 5.21 4600 95.500 3.20 61000 3.000 1.20 100 99.9900 5.21 5400 94.500 3.20 61000 3.000 1.20		РРМ	Yield %	Sigma	РРМ	Yield %	Sigma	РРМ	Yield %	Sigma
YIELD = # Opportunities - # Defects # Opportunities X 100 5 9.9995 5.92 819 9.810 3.90 3.4000 65.600 1.90 YIELD = # Opportunities - # Defects # Opportunities X 100 9.9990 5.76 1390 98.610 3.70 42000 58.000 1.60 10 99.9990 5.61 1780 98.200 3.60 46000 54.0000 1.60 20 99.9900 5.51 2270 97.730 3.50 50000 50.000 1.00 30 99.9970 5.51 2270 97.730 3.00 50000 50.000 1.01 100 99.9900 5.22 44600 95.540 3.20 61000 39.000 1.22 150 99.9900 5.22 44600 95.540 3.20 61000 39.000 1.22 160 99.9970 5.01 5.90 9.320 3.10 65000 31.00 100 303 99.970 5.02 5.90 9.320 3.10 65000 31.000 1000 100		3.4	99.9997	6.00	6210	99.3790	4.00	308000	69.2000	2.00
YIELD = # Opportunities - # Defects # Opportunities 10 99.9990 5.61 1300 98.900 3.00 42000 58.000 1.70 20 99.9900 5.61 17800 98.200 3.60 46000 54.000 1.60 30 99.9970 5.51 2270 97.300 3.50 50000 50.000 1.00 10 99.9980 5.61 13800 96.410 3.30 50000 50.000 1.00 100 99.9990 5.51 22700 97.300 3.40 540000 46.000 1.40 100 99.9900 5.51 2500 97.100 3.40 50000 3.000 1.22 150 99.9980 5.51 24600 95.540 3.20 61000 3.000 1.000 1.00 200 99.9970 5.51 2460 95.540 3.20 50000 3.000 1.000 1.00 300 99.970 5.00 6680 93.200 3.40 69000 3.100 1.000 1.000 301		5	99.9995	5.92	8190	99.1810	3,90	344000	65,6000	1.90
YIELD = 10 99.9990 5.76 13900 98.6100 3.70 42000 58.0000 1.70 20 99.9980 5.61 17800 98.2200 3.60 460000 54.0000 1.60 30 99.9970 5.51 22700 97.7300 3.50 500000 50.0000 1.60 40 99.9960 5.44 28700 97.1300 3.40 540000 46.0000 1.40 70 99.9930 5.31 3390 96.4100 3.30 57000 43.0000 1.12 100 99.9900 5.22 44600 95.540 3.20 61000 3.0000 1.12 130 99.970 5.01 6680 93.3200 3.00 65000 3.0000 1.10 230 99.970 5.00 66800 93.3200 3.00 65000 3.0000 1.000 330 99.970 5.00 66800 93.3200 3.00 69000 3.0000 1.000 330 99.970 5.00 66800 93.200 1.900		8	99, 9992	5.81	10700	98.9300	3,80	382000	61.8000	1.80
YIELD = # Opportunities - # Defects # Opportunities x 100 10 10 99.990 5.61 17800 98.2200 3.60 460000 54.000 1.60 10 99.9970 5.51 22700 97.7300 3.50 50000 50.0000 1.60 10 99.9960 5.44 28700 97.1300 3.40 540000 46.0000 1.40 100 99.9900 5.22 44600 95.5400 3.20 61000 39.0000 1.12 150 99.9900 5.22 44600 95.5400 3.20 61000 35.000 1.10 230 99.9770 5.00 66800 93.3200 3.00 69000 31.000 1.00 330 99.9770 5.00 66800 93.320 3.00 69000 3.000 1.000 330 99.9770 5.00 66800 93.320 2.90 72000 28.000 0.92 480 99.9520 4.80 96800 91.200 2.800 1.600 0.62 1350 99.852		10	99, 9990	5.76	13900	98.6100	3.70	420000	58,0000	1.70
YIELD = # Opportunities - # Defects # Opportunities X 100 30 99.9970 5.51 22700 97.7300 3.50 500000 50.0000 1.50 100 99.9960 5.44 28700 97.1300 3.40 540000 46.0000 1.32 100 99.9930 5.31 3590 96.4100 3.30 570000 43.0000 1.22 100 99.9930 5.12 54800 94.5200 3.10 650000 35.0000 1.12 200 99.9707 5.00 66800 93.3200 3.00 690000 31.0000 1.12 201 99.9707 5.00 66800 93.3200 3.00 690000 31.0000 1.22 100 99.9970 5.00 66800 93.3200 3.00 690000 31.0000 1.22 100 99.9970 5.00 66800 93.3200 3.00 2.000 2.000 1.000 300 99.9770 5.00 64800 91.9200 2.80 70000 22.000 0.33 6800 99.9320<		20	99, 9980	5.61	17 800	98.2200	3,60	460000	54.0000	1.60
YIELD = # Opportunities - # Defects # Opportunities X 100 40 99,9900 5.44 28700 97.1300 3.40 540000 46.0000 1.40 70 99,9930 5.31 3590 96.4100 3.30 57000 43.0000 1.22 100 99,9900 5.22 44600 95.5400 3.20 61000 39.0000 1.22 150 99,9800 5.12 54800 94.5200 3.10 650000 35.0000 1.11 230 99,9770 5.00 66800 93.3200 3.00 690000 31.0000 1.00 330 99,9670 4.91 80800 91.9200 2.80 72000 28.0000 0.92 480 99,9520 4.80 96800 90.3200 2.80 75000 25.0000 0.73 960 99,9400 4.60 13500 86.5000 2.60 1.00 1.9000 0.62 1350 99,9520 4.80 198000 84.2000 2.5000 0.63 1600 99,9400 4.60 135000 <th></th> <td>30</td> <td>99.9970</td> <td>5.51</td> <td>22700</td> <td>97.7300</td> <td>3,50</td> <td>500000</td> <td>50.0000</td> <td>1.50</td>		30	99.9970	5.51	22700	97.7300	3,50	500000	50.0000	1.50
YIELD = # Opportunities - # Defects # Opportunities x 100 70 99.9930 5.31 35900 96.4100 3.30 570000 43.0000 1.32 100 99.9930 5.22 44600 95.5400 3.20 610000 39.0000 1.22 150 99.9930 5.12 54800 94.5200 3.10 65000 35.0000 1.11 230 99.9770 5.00 66800 93.3200 3.00 690000 31.0000 1.00 330 99.9700 4.91 80800 91.9200 2.90 720000 28.0000 0.92 480 99.9520 4.80 96800 90.3200 2.80 750000 22.0000 0.83 680 99.9320 4.70 115000 88.5000 2.70 780000 22.0000 0.73 966 99.9340 4.60 13500 84.2000 2.50 840000 1.6000 0.62 1350 99.8550 4.50 158000 84.2000 2.40 860000 14.0000 0.42 1350 99		40	99, 9960	5.44	28700	97.1300	3,40	540000	46.0000	1.40
# Opportunities 100 99.9900 5.22 44600 95.5400 3.20 610000 39.0000 1.22 150 99.9850 5.12 54800 94.5200 3.10 650000 35.0000 1.11 230 99.9770 5.00 66800 93.3200 3.00 690000 31.0000 1.00 330 99.9770 5.00 66800 91.3200 2.90 720000 28.0000 0.92 480 99.9520 4.80 96800 90.3200 2.80 750000 22.0000 0.73 960 99.9520 4.80 135000 86.5000 2.60 810000 16.000 0.62 1350 99.9520 4.80 135000 86.5000 2.60 810000 16.000 0.62 1350 99.9540 4.60 135000 84.2000 2.50 84000 1.6000 0.62 1350 99.8550 4.50 158000 84.2000 2.40 860000 14.0000 0.42 2550 99.7450 4.30 212000 75.800	YIELD = # Opportunities - # Defects x 100	70	99.9930	5.31	35900	96.4100	3,30	570000	43.0000	1.32
15099.98505.125480094.52003.1065000035.00001.1123099.97705.006680093.32003.0069000031.00001.0033099.96704.918080091.92002.9072000028.0000.9248099.95204.809680090.32002.8075000025.00000.8368099.93204.701150088.50002.7078000022.0000.7396099.94004.6013500086.50002.6081000019.00000.62135099.8504.501580084.20002.4084000014.00000.42255099.74504.3021200078.80002.3088000012.00000.33346099.65404.2024200075.80002.2090000010.00000.22466099.53404.1027400073.60002.1083000010.00000.22	# Opportunities	100	99, 9900	5.22	44600	95.5400	3.20	610000	39,0000	1.22
23099.97705.006680093.32003.0069000031.00001.0033099.96704.918080091.92002.9072000028.00000.9248099.95204.809680090.32002.8075000025.00000.8368099.93204.7011500088.50002.7078000022.00000.7396099.94044.601350086.50002.6081000019.00000.62135099.85504.5015800084.20002.5084000016.00000.51186099.81404.4018400081.60002.4086000014.00000.42255099.74504.3021200078.80002.3088000010.00000.22346099.65404.2022200075.80002.2090000010.00000.22466099.53404.1027400072.60002.108200008.00000.02		150	99.9850	5.12	54800	94.5200	3.10	650000	35,0000	1.11
33099.96704.918080091.92002.9072000028.00000.9248099.95204.809680090.32002.8075000025.00000.8368099.93204.7011500088.50002.7078000022.00000.7396099.94004.6013500086.50002.6081000019.00000.62135099.86504.5015800084.20002.5084000016.00000.51186099.81404.4018400081.60002.4086000014.00000.42255099.74504.3021200078.80002.308800012.00000.33346099.65404.1027400073.600072.60008.000010.00000.22		230	99.9770	5.00	66800	93.3200	3.00	690000	31,0000	1.00
48099.95204.809680090.32002.8075000025.00000.8368099.93204.7011500088.50002.7078000022.00000.7396099.90404.6013500086.50002.6081000019.00000.62135099.86504.501580084.20002.5084000016.00000.51186099.81404.4018400081.60002.4086000014.00000.42255099.74504.3021200078.80002.3088000012.00000.33346099.65404.2024200075.80002.2090000010.00000.22		330	99,9670	4.91	80800	91.9200	2,90	7 20000	28,0000	0.92
68099.93204.7011500088.50002.7078000022.00000.7396099.90404.6013500086.50002.6081000019.00000.62135099.86504.5015800084.20002.5084000016.00000.51186099.81404.4018400081.60002.4086000014.00000.42255099.74504.3021200078.80002.3088000012.00000.33346099.65404.2024200075.80002.2090000010.00000.22		480	99.9520	4.80	96800	90.3200	2,80	7 50000	25,0000	0.83
96099.90404.6013500086.50002.6081000019.00000.62135099.86504.5015800084.20002.5084000016.00000.51186099.81404.4018400081.60002.4086000014.00000.42255099.74504.3021200078.80002.3088000012.00000.33346099.65404.2024200075.80002.2090000010.00000.22		680	99.9320	4.70	115000	88.5000	2.70	7 80000	22,0000	0.73
135099,86504.5015800084.20002.5084000016.00000.51186099,81404.4018400081.60002.4086000014.00000.42255099,74504.3021200078.80002.3088000012.00000.33346099,65404.2024200075.80002.2090000010.00000.22		960	99, 9040	4.60	135000	86.5000	2.60	810000	19.0000	0.62
186099.81404.4018400081.60002.4086000014.00000.42255099.74504.3021200078.80002.3088000012.00000.33346099.65404.2024200075.80002.2090000010.00000.22466099.53404.1027400072.60002.108200008.00000.08		1350	99.8650	4.50	158000	84.2000	2.50	840000	16.0000	0.51
2550 99.7450 4.30 212000 78.8000 2.30 880000 12.0000 0.33 3460 99.6540 4.20 242000 75.8000 2.20 900000 10.0000 0.22 4660 99.5340 4.10 274000 73.6000 2.10 820000 8.0000 0.09		1860	99.8140	4.40	184000	81.6000	2.40	860000	14,0000	0.42
3460 99.6540 4.20 242000 75.8000 2.20 900000 10.0000 0.22 4660 99.5340 4.10 274000 72.6000 2.10 920000 8.0000 0.09		2550	99.7450	4.30	212000	78.8000	2.30	880000	12,0000	0.33
4660 99 5240 4 10 274000 72 6000 2 10 920000 8 0000 0 09		3460	99.6540	4.20	242000	75.8000	2.20	900000	10,0000	0.22
400 55.5540 4.10 274000 72.0000 2.10 52000 0.000 0.05		4660	99.5340	4.10	274000	72.6000	2,10	920000	8,0000	0.09



How to Calculate σ Level

Example

Let's consider a company issues 750 invoices per week. Customers are complaining that invoices have wrong prices in it. Financial department randomly selects 250 invoices from previous week for analysis and finds out that 30 were issued with the wrong price.

What is the sigma level of the invoicing process?

Opportunities: 750 invoices per week# Defects: 30 invoices per week

YIELD =
$$\frac{750 - 30}{750}$$
 x 100 = 96%

Checking the Sigma table, we can say the invoicing process is between 3.20 and 3.30 sigma.

РРМ	Yield %	Sigma
28700	97.1300	3.40
35900	96,4100	3.30
44600	95.5400	3.20
54800	94.5200	3,10
66000	02.2200	2.00



Other Indicators

Example

Process:	Labelling	Packing	Shipping
Performance:	Legible printing	Sealed	2 days
Sigma Level:	2.1σ	3.2σ	4.4σ
Weekly Cost:	\$1,000	\$2,000	\$500
Improvement Cost:	\$3,000	\$3,000	\$1,000

Continuous Improvement





Control the **INPUTS** to achieve the desired **OUTPUTS** and satisfy our customers' expectations.



LEAN SIX SIGMA - WHITE BELT

Customer-Focused

By understanding the voice of the customer it is possible to:

- Customize products and services
- Offer additional products and services
- Prioritize developments
- Understand the market and trends
- Identify problems
- Identify opportunities and test ideas



Customer-Focused





Continuous Improvement







Variation









Variation:

- Scoop Above rim
- Pour Remove excess







LEAN SIX SIGMA - WHITE BELT

Equipping People

- Experts
- Methodology
- Planning
- Implementation

- Training
- Tools
- Handover
- Control

Sustainable Improvements

Controllig the Process











- Assumption that it is **expensive**
- Believe that it is **complicated**
- Arrogance based on past success
- Dependence on **inspection and rework**
- Reliance on trial and error
- **Resistance** to change
- Not linked to company's **culture**



Lack of Support

Commo barriers:

- Lack of strategic alignment
- Lack of Six Sigma knowledge or basic understanding
- Lost of interest
- Fear of the unknow
- Unwilling to change



Lack of Resources or Knowledge

- Mass training cost can be an issue
- Dedicated experts may not be affordable
- ... are challenges, but not barriers!
- Make resources partially available
- Train staff gradually

...can make it possible to profit from the use of tools and progressively deploy the methodology.



Poor Project Execution

- Not follow the methodology
- Project scope too big
- Wrong priority definition
- Lack of commitment
- Lack of time



Data Access Issue

Inacurate data is a common issue:

- Lack of a plan to collect data
- Measurement system is inadequate
- Lack of metrics
- Human interference
- Significant period of time
- Lenghty time between data collection and analysis
- Compliance rules



Concerns about Using Six Sigma in a Specificy Industry

- Concepts and tools are commonly related to industrial environment
- Companies mistakenly believe it is not possible or it is too hard to adapt

Six Sigma can be implemented in any industry



Thank You!

Questions?



LEAN SIX SIGMA - WHITE BELT



SIX SIGMA DEVELOPMENT

LEAN SIX SIGMA WHITE BELT

Agenda

- Six Sigma Application
- Statistical Process Control
- Toyota and Lean
- Motorola Focus on Defects
- ABB, Allied Signal and GE
- Six Sigma Growth
- Applying Six Sigma



Six Sigma Application



- Specific goal
- Focus on results only
- Skips processes and root causes
- High non-quality cost
- High process variation



- Continuous improvement
- Focus on processes
- Find and solve root causes
- Reduce costs
- Increase performance
- Reduce process variation



DMAIC and DMADV methodologies





Normal Distribution, Normal Curve or Bell Curve



Carl Friedrich Gauss, in 1809



LEAN SIX SIGMA - WHITE BELT



 The Mean and Standard Deviation are required to fully describe the distribution.
 Which distribution displays more variation?

The Means are the same, but the Standard Deviations differ.



Statistical Quality Control

- Sigma level related to quality
- Process performing at 3σ needs improvement
- Application in the manufacturing and industrial process
- Control Chart (1924)
- Common and special causes
- Detection and prevention of problems

Walter A. Shewhart, in the early 1900's



PDCA or PDSA

- Championed the work of Walter Shewhart
- Applied Shewhart concepts outside industrial environment
- Developed the PDCA cycle, also known as the Deming Cycle
- Later modified to PDSA, as check emphasizes inspection over analysis
- Act (Adjust) Plan Check / Do

• Brought the concepts to Japan

William Edwards Deming, around 1925



Toyota and Lean

Toyota Production System

- Urgent need to be increase performance after WWII
- Combination of Henry Ford manufacturing ideas and statistics applied to quality
- Use of automation
- Better use of efficiency tools

Kiichiro Toyoda: process efficiency and automation Eiji Toyoda and Taiichi Ohno: concepts of Just-in-Time and Jidoka







Toyota Production System "House."

* Toyota Motor Corporation: The Toyota Production System – Leaner manufacturing for a greener planet; TMC, Public Affairs Division, Tokyo, 1998

Toyota and Lean

Toyota System Principles

- Customer values
- Value stream
- Waste
- Continuous process flow
- Continuous improvement

Foundation of Lean Six Sigma



Motorola - Focus on Defects



- A Japanese company takes over a Motorola plant
- Lean concepts are applied

motorola • Television defects are 1/20th the amount of previous production by Motorola

- In the middle 1980's, Motorola starts questioning effectiveness of their quality system
- Motorola's CEO, Bob Galvin, demands an improvement of 10 times in 5 years
- Engineer Bill Smith and Dr. Mikel Harry lead the changes:
 - Improvement of measurement, from a thousand opportunities to a million opportunities as per Shewhart
 - Deployment of statistical process control
 - Said to have saved over \$16 billion within 12 years *

Motorola deployed Six Sigma methodology around the world



ABB, Allied Signal and GE



- Dr. Harry joins Asea Brown Boveri
- Richard Schroeder becomes champion for Six Sigma
- Financial goal is incorporated to the strategy: Profit focus along with Quality focus
- Around \$2 billion in savings in 2 years, 68% reduction in defects and 30% reduction on production costs *



- In 1993 Schroeder and Harry join Allied Signal
- CEO Larry Bossidy wants to have well-versed leaders to properly support projects
- Harry creates a system for educating executives and deploy Six Sigma internally
- \$2 billion in cost reduction by 1998 and 12% growth in that year **



ABB, Allied Signal and GE



- CEO Jack Welch invites Larry Bossidy to speak at a GE corporate meeting in 1995
- Welch was not a proponent of quality measures, criticizing its programs for not delivering results
- Welch is known as Six Sigma champion due to his leadership and approach of the methodology
- He redesign employee reward structure by adding Six Sigma performance to evaluation goals
- \$12 billion in savings over five years *



Six Sigma Growth

The Rush

The success of GE and Motorola, among others, led many companies to rush to implement Six Sigma.

In the rush, companies ignored important concepts of the methodology and poorly executed improvements. The results achieved were not as expected at all, resulting in misconceptions of Six Sigma.



Six Sigma Growth



• Six Sigma is expensive



• Six Sigma fix anything



- Truth
- Six Sigma normally starts with common ideas
- Six Sigma can be slowly implemented and recover investment
- Six Sigma can be applied to any process, however not if the root cause is culture or morale



- Project selection
- Analysis and quantification of process issue
 - Sigma level, downtime, cost of non-quality, etc.
- Investment cost to address the problem
- Project and process management



Levels of Certification

White Belt

Understand basic concepts of Six Sigma

- Introduction to Six Sigma methodology
- Understanding of the basic principles
- Better understanding of how project teams work
- Prepare to participate on project selection
- Prepare to understand project information and milestones presented in project meetings



Levels of Certification

Yellow Belt

Understand basic concepts of Six Sigma and be able to assist

Includes White Belt knowledge level with additional basic information about the DMAIC method used in Six Sigma. Below concepts are also included:

- Team roles
- Team management
- Basic statistic / quality tools and charts
- Data collection
- Measurement system and metrics
- Root cause analysis



Levels of Certification

Green Belt

Understand statistical analysis and be able to apply Six Sigma

Consist of intermediate knowledge of statistical tools and analysis, as well as small projects leadership. In addition to Yellow Belt training, it includes:

- Project management and team leadership
- Probability and statistical distributions
- Failure mode and effects analysis (FMEA)
- Hypothesis testing
- Control charts
- Waste elimination and Kaizen





Levels of Certification

Black Belt

Manage improvement projects and teams

In addition to Green Belt hard skills, includes also more statistical knowledge and soft skills, such as:

- Manage Green Belts
- Advanced project and team management skills
- Expansive knowledge on brainstorming and project tools
- Understanding of Lean and Total Quality Management
- Capabilities for mapping processes (flow charts, VSM)
- Use of Excel or Minitab for data analysis and advanced statistics

 \square

LEAN SIX SIGMA - WHITE BELT



- High level strategy
- Consultant for complex projects
- Advanced knowledge of statistical concepts
- Six Sigma expert deep knowledge of methodology, tools and analysis



Thank You!

Questions?



LEAN SIX SIGMA - WHITE BELT



IMPROVEMENT AND QUALITY METHODS

LEAN SIX SIGMA WHITE BELT

Agenda

- Improvement and Quality Methods
 - Lean Process Management
 - Total Quality Management (TQM)
 - Business Process Reengineering
 - Rummler-Brache
 - Scrum
 - The Customer Experience Management Method (CEM)
 - JumpStart
- When to Use Six Sigma



Lean Process Management

Lean and Six Sigma principles complement each other.

- Can be applied to any process
- Focus on continuous improvement
- Waste reduction or elimination
- Culture of quality
- Kaizen: change for better
- Lean is often considered part of Six Sigma



VALUE STREAM	Lean Siz	x Sigma	PROCESSES VARIATION
 Reduction of w Continuous imp Productivity Before After Added Value 	vaste provement Time No added value	 Reduction Deployed Optimizat D>M> 	a of variability sources according to need ion and quality $A \setminus I \setminus C$
SCOPE •	Lean tools Simple	 Medium al term Statistical Complex 	tools
REFERENC	CE	ntary Scopes	LEAN SIX SIGMA – WHITE BELT

Total Quality Management (TQM)

The program is a long-term approach aiming customer satisfaction.

As any other methodology, results depend on the its success of implementation:

- Commitment at all levels of the organization, especially leaders
- Empowered employees
- Reward and recognition program
- Strategic planning aligned with quality goals

"An organization is only as strong as the weakest element."



Total Quality Management (TQM)

Key elements for TQM success:

- Ethics
- Integrity
- Trust
- Training
- Teamwork
- Leadership
- Recognition
- Communication

Benefits:

- Employee engagement and morale
- Savings in production costs
- Savings in product costs
- Reduction of cycle times
- Increase of customer satisfaction



Business Process Reengineering (BPR)

Also known as business process redesign or business transformation, it focus on recreating business process.

It is more concerned with a radical change across an entire organization instead of small and continuous quality increments.

- Planning: identify and communicate
- Design: have a team of experts and redesign
- Implementation: rigorous change management and testing procedure

"Reengineering Work: Don't Automate, Obliterate" Michael Hammer



Rummler-Brache

Developed in the 80s by Geary Rummler and Alan Brache.

• Nine boxes Model: three levels of performance and three dimensions

	Design	Goals	Management		
Performer	Tools and training needed to do the job and achieve goals	Individual performance metrics linked to process goals	Right people, training, feedback and rewards to achieve goals		
Process	Process design to allow goals achievement	Manageable processes linked to business goals and the customer requirements	Infrastructure and process ownership for monitoring and improvement		
Organization	Organization structure that allows goals achievement	Clear strategy and well deployed goals	Resources, planning and monitoring of performance evaluation of the integrated processes		



Rummler-Brache

The 6 phases of Rummler-Brache approach:

- Improvement Planning: identify opportunities for change and draft the improvement plan
- **Definition**: define project scope, stablish goals and form teams with specific roles
- **Analysis and Design**: understand and analyze current situation ("IS" process) and design solutions ("SHOULD" process) to be implemented
- Implementation: implement redesigned process
- **Process Management**: monitor optimized process and take corrective action when necessary
- Organization Management "Organization as an Adaptive System": integrate processes, having metrics at all levels connect to one another, with a control plan in place to ensure continued success.



Scrum

- Scrum is an Agile project management method with initial emphasis on software development, but more and more being used in different fields.
- Projects are broken down to fit timebox interactions called Sprints, normally between two and four weeks work by a small team of 10 or fewer members.
- Scrum relates to improvement initiatives as its concept provides recurrent results analysis in a short period of time allowing changes to meet customer needs.
- Used to create new technical products or integrate new developments on existing products within a short time frame.



Scrum

Three main phases:

- **Pregame**: data and business requirements analysis, involves translating business concepts into technical concepts.
- **Game**: development in sprints with a review and validation of the deliverables before moving on to the next sprint.
- **Postgame**: quality assurance, testing and change management procedures before final release.



The Customer Experience Management Method (CEM)

- Combines process improvement with customer relations management
- Outside-in approach focusing on what the customer wants or needs
- Based on data analysis collected through customer feedback
- Downside: for some departments it is hard to relate to customer satisfaction

JumpStart

- Fast-paced method
- Problem and solution identification in a single session
- Can be used within different improvement or quality tools / methods
- Not recommended for critical or high impact processes
- Focus on brainstorming root causes for the problem and possible solutions
- Quick solutions and incremental improvement
- Downside: sometimes solutions are trial and error / wait and see



When to Use Six Sigma

- **Unknown cause**: seek the root cause(s), prioritize and solve
- Widespread problem: scope definition and manageable projects
- **Complex problem**: narrow down variables and define approach
- Costs tied to processes: assumptions validation with small margin of error



Thank You!

Questions?



LEAN SIX SIGMA - WHITE BELT